

High Mountain Health, LLC • 1250 S Plaza Wy Ste A Flagstaff AZ 86001 • AZDHS Lic #00000050DCBO00239922

Product & Strain: Flower/Pre-Rolls, \setminus 8 =

Batch ID: 19

Date of Harvest:

Date of Manufacture (if applicable): N/A

Method of Extraction (if applicable): N/A

Distribution Chain - This marijuana or marijuana product was manufactured and distributed by High Mountain Health, LLC, AZDHS Registration Certificate ID Number: 00000050DCB000239922. Our products are sold to High Mountain Cannabis Dispensary in Flagstaff and various other AZDHS licensed medical marijuana dispensaries and marijuana establishments in Arizona to then be dispensed to medical marijuana patients or sold to adult-use consumers. Find Your KAYA

All KAYA products produced by High Mountain Health, LLC are fully tested for your safety in compliance with guidelines for laboratory certification, product sampling, and testing requirements established by Senate Bill 1494.

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.





AZDHS Certification # 00000005LCMI00301434

High Mountain Health, LLC

3850 E Huntington Dr Flagstaff, AZ 86004 (928) 774-5467 Lic#: 00000050DCBO00239922

FINAL

Sample: S310081-03 CC ID#: 2310C4L0065.3363 Lot#: N/A Batch#: 1995 Batch Size: 14.1

Sample Name: 1995OGGB2TS FP/M Strain Name: Original Glue Matrix: Flower Amount Received: 13.2846 g

Sample Collected: 10/17/2023 8:00 Sample Received: 10/19/2023 10:30 Report Created: 10/26/2023 16:49





	SAF	ETY	
Microbials	Residual Solvents	Mycotoxins	Pesticides
PASS	NOT TESTED	NOT TESTED	PASS
Metals			
PASS			
	Terp	oenes	
	Total Te	erpenes (Q3)	

Cannabinoid Results

20.4%	18.0%	<loq< th=""><th>RATIO 1 : 0</th></loq<>	RATIO 1 : 0
Sum of Cannabinoids (Q3)	Total THC	Total CBD	THC CBD
	Total THC= THCA * 0.877 + d9- Total CBD= CBDA * 0.877 + CB		

Dry Weight (Moisture Corrected) Cannabinoid Results (Q3)

22.0%		19.5%	<loq< th=""></loq<>
Sum of Cannabinoids (Q3)	То	tal THC (Q3)	Total CBD (Q3)

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434	Jillian Blaney Technical Laboratory Director	ss 'Pass' or 'Fail' ara done so in reference to P0-17' Arizona
Administrative Code (A.A.C.) Title 9, Chapter 17. Value non-detected levels of any compounds reported her	sting methodologies and a quality system as required by Arizona state law. Results marked as s reported relate only to the product tested as received.SC Labs makes no claims as to the eff in. Unless otherwise stated all quality control samples performed within specifications establis to this sample. This Certificate shall not be reproduced except in full, without the written appr	fficacy, safety or other risks associated with any detected or shed by the Laboratory. Contact SC Labs for a technical



AZDHS Certification # 00000005LCMI00301434



High Mountain Health, LLC

3850 E Huntington Dr Flagstaff, AZ 86004 (928) 774-5467 Lic#: 00000050DCBO00239922

FINAL

Sample: S310081-03 CC ID#: 2310C4L0065.3363 Lot#: N/A Batch#: 1995 Batch Size: 14.1

Sample Name: 1995OGGB2TS FP/M

Strain Name: Original Glue

Matrix: Flower

Amount Received: 13.2846 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 10/24/2023	Analyst I	nitials: DRF	SOP: C4-SOP-	CHEM-003
Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	0.433	18.9	189	
d9-THC	0.399	1.49	14.9	
d8-THC	0.399	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBDA	0.399	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBD	0.399	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBG	0.399	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBN	0.399	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBC	0.399	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Sum of Cannabinoids	0.399	20.4	204	Q3
Total THC	0.399	18.0	180	
Total CBD	0.399	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Total Cannabinoids	0.399	18.0	180	Q3

Cannabinoids by HPLC-DAD - Dry Weight

Date Analyzed: 10/24/2023	Analyst I	nitials: DRF	SOP: C4-SOP-	CHEM-00	3	
Analyte	LOQ	Result	Result	Quali	fier	
	%	%	mg/g			
THCA	0.433	20.4	204	Q3		
d9-THC	0.399	1.61	16.1	Q3		
d8-THC	0.399	<loq< td=""><td>< LOQ</td><td>Q3</td><td></td><td></td></loq<>	< LOQ	Q3		
CBDA	0.399	<loq< td=""><td>< LOQ</td><td>Q3</td><td></td><td></td></loq<>	< LOQ	Q3		
CBD	0.399	<loq< td=""><td>< LOQ</td><td>Q3</td><td></td><td></td></loq<>	< LOQ	Q3		
CBG	0.399	<loq< td=""><td>< LOQ</td><td>Q3</td><td></td><td></td></loq<>	< LOQ	Q3		
CBN	0.399	<loq< td=""><td>< LOQ</td><td>Q3</td><td></td><td></td></loq<>	< LOQ	Q3		
CBC	0.399	<loq< td=""><td>< LOQ</td><td>Q3</td><td></td><td></td></loq<>	< LOQ	Q3		
Sum of Cannabinoids	0.399	22.0	220	Q3	Q3	
Total THC	0.399	19.5	195	Q3		
Total CBD	0.399	<loq< td=""><td>< LOQ</td><td>Q3</td><td></td><td></td></loq<>	< LOQ	Q3		
Total Cannabinoids	0.399	19.5	195	Q3	Q3	

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.

Moisture Content- Noncompliance

Date Analyzed: 10/20/2023 Analyst Initials: DRF SOP: C4-SOP-CHEM-011

Analyte	Result	Qualifier
	%	
Percent Moisture	7.59	Q3

SC Labs

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434 fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

2 of 6

Sample Collected: 10/17/2023 8:00 Sample Received: 10/19/2023 10:30 Report Created: 10/26/2023 16:49



AZDHS Certification # 00000005LCMI00301434



High Mountain Health, LLC

3850 E Huntington Dr Flagstaff, AZ 86004 (928) 774-5467 Lic#: 00000050DCBO00239922

FINAL

Sample Name: 1995OGGB2TS FP/M

Strain Name: Original Glue

Matrix: Flower

Amount Received: 13.2846 g

Pesticides by LC/MS/MS - Compliance

Lot#: N/A Batch#: 1995 Batch Size: 14.1

> Sample Collected: 10/17/2023 8:00 Sample Received: 10/19/2023 10:30 Report Created: 10/26/2023 16:49

Sample: S310081-03

CC ID#: 2310C4L0065.3363

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.121	0.5	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acephate	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenthrin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.126</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.126	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.252</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.252	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.050	0.2	<loq< td=""><td>L1</td><td>Pass</td><td>Paclobutrazol</td><td>0.101</td><td>0.4</td><td><loq< td=""><td>L1</td><td>Pass</td></loq<></td></loq<>	L1	Pass	Paclobutrazol	0.101	0.4	<loq< td=""><td>L1</td><td>Pass</td></loq<>	L1	Pass
Chlorfenapyr	0.505	1.0	<loq< td=""><td>l1</td><td>Pass</td><td>Permethrins</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	l1	Pass	Permethrins	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>l1</td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.050	0.2	<loq< td=""><td>l1</td><td>Pass</td></loq<>	l1	Pass
Clofentezine	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.505</td><td>2.0</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.505	2.0	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Cyfluthrin	0.505	1.0	<loq< td=""><td></td><td>Pass</td><td>Prallethrin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>L1</td><td>Pass</td></loq<></td></loq<>		Pass	Prallethrin	0.050	0.2	<loq< td=""><td>L1</td><td>Pass</td></loq<>	L1	Pass
Cypermethrin	0.252	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.505	1.0	<loq< td=""><td>L1</td><td>Pass</td><td>Propoxur</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1	Pass	Propoxur	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.162</td><td>1.0</td><td><loq< td=""><td>I1, V1</td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.162	1.0	<loq< td=""><td>I1, V1</td><td>Pass</td></loq<>	I1, V1	Pass
Dichlorvos	0.050	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.050	0.2	<loq< td=""><td>L1</td><td>Pass</td><td>Tebuconazole</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1	Pass	Tebuconazole	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.101	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Thiamethoxam	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.252	1.0	<loq< td=""><td></td><td>Pass</td><td>Trifloxystrobin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Trifloxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						
Hexythiazox	0.252	1.0	<loq< td=""><td>L1</td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>	L1	Pass						



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass



AZDHS Certification # 00000005LCMI00301434



High Mountain Health, LLC

3850 E Huntington Dr Flagstaff, AZ 86004 (928) 774-5467 Lic#: 00000050DCBO00239922

FINAL

Pass

Sample: S310081-03 CC ID#: 2310C4L0065.3363 Lot#: N/A Batch#: 1995 Batch Size: 14.1

Sample Name: 1995OGGB2TS FP/M Strain Name: Original Glue Matrix: Flower Amount Received: 13.2846 g

Sample Collected: 10/17/2023 8:00 Sample Received: 10/19/2023 10:30 Report Created: 10/26/2023 16:49

Metals by ICP-MS - Compliance

Date Analyzed: 10/24/2023	Analyst Initial	s: RSS SOP	C4-SOP-CHE	M-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.098	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.098	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.394	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.394	1.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.



AZDHS Certification # 00000005LCMI00301434



High Mountain Health, LLC Sample: S310081-03 3850 E Huntington Dr CC ID#: 2310C4L0065.3363 Flagstaff, AZ 86004 Lot#: N/A (928) 774-5467 Batch#: 1995 FINAL Lic#: 00000050DCBO00239922 Batch Size: 14.1 Sample Name: 1995OGGB2TS FP/M Strain Name: Original Glue Sample Collected: 10/17/2023 8:00 Matrix: Flower Sample Received: 10/19/2023 10:30 Amount Received: 13.2846 g Report Created: 10/26/2023 16:49

Pass

Microbials

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 10/24/2023	Analyst Initials: k	KAM SOP: C4-SOF	P-MICRO-010	
Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 10/25/2023 Analyst Initials: DHV SOP: C4-SOP-MICRO-012

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

illian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs. 5 of 6





AZDHS Certification # 00000005LCMI00301434

High Mountain Health, LLC

3850 E Huntington Dr	
Flagstaff, AZ 86004	
(928) 774-5467	
Lic#: 00000050DCBO00239922	

Amount Received: 13.2846 g

Definition

14 - ----

FINAL

Sample: S310081-03 CC ID#: 2310C4L0065.3363 Lot#: N/A Batch#: 1995 Batch Size: 14.1

Sample Name: 1995OGGB2TS FP/M Strain Name: Original Glue Matrix: Flower

Sample Collected: 10/17/2023 8:00 Sample Received: 10/19/2023 10:30 Report Created: 10/26/2023 16:49

Notes and Definitions

Item	Definition
11	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
< LOQ	Results below the Limit of Quantification.
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Canr	nabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

6 of 6