



High Mountain Health, LLC • 1250 S Plaza Wy Ste A Flagstaff AZ 86001 • AZDHS Lic #00000050DCBO00239922

Product & Strain: KAYA Cured Resin, Mickey's Kush - Sativa

Batch ID: MIKCMB04BHO

Date of Harvest: 1/31/2023

Date of Manufacture (if applicable): 7/31/2023

Method of Extraction (if applicable): Butane

Distribution Chain - This marijuana or marijuana product was manufactured and distributed by High Mountain Health, LLC, AZDHS Registration Certificate ID Number: 00000050DCBO00239922. Our products are sold to High Mountain Cannabis Dispensary in Flagstaff and various other AZDHS licensed medical marijuana dispensaries and marijuana establishments in Arizona to then be dispensed to medical marijuana patients or sold to adult-use consumers. [Find Your KAYA](#)

All KAYA products produced by High Mountain Health, LLC are fully tested for your safety in compliance with guidelines for laboratory certification, product sampling, and testing requirements established by Senate Bill 1494.

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

SAMPLE NAME: MIKCMB04BHO T

SAMPLE ID: A23G0033-01

CCB ID: 2307OPT2603.10192

CULTIVATOR/MANUFACTURER

Business Name: High Mountain Health, LLC

License: 00000050DCBO00239922

Address: 3850 E Huntington Dr. Flagstaff, AZ 86004



SAMPLE DETAIL

Date Collected: 7/20/2023 12:59:26PM

Matrix: Sugar Wax

Strain: Mickey's Kush

Ex. Lot ID: MIKCMB04BHO

Batch#: MIKCMB04BHO

Batch Size: 9g

Other Information:

CANNABINOID ANALYSIS SUMMARY

Total THC: 77.81%

d9-THC + (THCa * 0.877)

Total CBD: ND

CBD + (CBDa * 0.877)

Total Cannabinoids: 89.84%

CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: PASS

Metals: PASS

Solvents: PASS

Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director



77.81%	89.84%
Total THC	Total Cannabinoids <small>*Q3 Informational use only</small>
ND	N/A
Total CBD	Moisture <small>*Q3 Informational use only</small>

CANNABINOID TEST RESULTS

Date Analyzed: 07/22/23 08:49; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.03000	2.587	25.87
THCA		0.03000	85.77	857.70
CBD		0.02000	ND	ND
CBDA		0.02000	ND	ND
CBN	Q3M2	0.004000	ND	ND
delta 8-THC	Q3	0.03000	ND	ND
CBG	Q3	0.004000	ND	ND
CBGA	Q3	0.004000	1.476	14.76
THCV	Q3	0.004000	ND	ND
Total CBD		0.03000	ND	ND
Total THC		0.03000	77.81	778.10
Total		0.004000	89.84	898.40

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 07/22/23 07:44; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 07/22/23 15:59; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	M1, V1	0.250	0.5	ND	Pass	Hexythiazox		0.500	1	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imazalil	V1	0.100	0.2	ND	Pass
Acequinocyl		1.00	2	ND	Pass	Imidacloprid		0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Aldicarb	V1	0.200	0.4	ND	Pass	Malathion		0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metalaxyl		0.100	0.2	ND	Pass
Bifenazate	M1	0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenthrin		0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid		0.200	0.4	ND	Pass	Myclobutanil	V1	0.100	0.2	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Naled		0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole		0.100	0.2	ND	Pass	Paclobutrazol	V1	0.200	0.4	ND	Pass
Chlorfenapyr	M2, V1	0.500	1	ND	Pass	Permethrins		0.100	0.2	ND	Pass
Chlorpyrifos	M2	0.100	0.2	ND	Pass	Phosmet		0.100	0.2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin	M1	0.500	1	ND	Pass	Prallethrin	M1	0.100	0.2	ND	Pass
Cypermethrin		0.500	1	ND	Pass	Propiconazole		0.200	0.4	ND	Pass
Daminozide	V1	0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)	M1, V1	0.0500	0.1	ND	Pass	Pyrethrins		0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben		0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad		0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat		0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb		0.100	0.2	ND	Pass	Tebuconazole	V1	0.200	0.4	ND	Pass
Fenpyroximate		0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil		0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Flonicamid		0.500	1	ND	Pass	Trifloxystrobin	M2	0.100	0.2	ND	Pass
Fludioxonil		0.200	0.4	ND	Pass						

MYCOTOXINS TEST RESULTS

Pass

Date Analyzed: 07/22/23 15:59; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Aflatoxin B1		10.0		ND	
Aflatoxin B2		10.0		ND	
Aflatoxin G1		10.0		ND	
Aflatoxin G2		10.0		ND	
Ochratoxin A	V1	10.0	20	ND	Pass
Total Aflatoxins		10.0	20	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




RESIDUAL SOLVENTS TEST RESULTS

Pass

Date Analyzed: 07/21/23 13:41; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm	
Acetone		500.0	1000	ND	Pass
Acetonitrile		205.0	410	ND	Pass
Benzene		1.000	2	ND	Pass
Butanes		2,500	5000	ND	Pass
Chloroform		30.00	60	ND	Pass
Dichloromethane		300.0	600	ND	Pass
Ethanol		2,500	5000	ND	Pass
Ethyl acetate		2,500	5000	ND	Pass
Ethyl ether		2,500	5000	ND	Pass
Heptane		2,500	5000	ND	Pass
Hexanes		145.0	290	ND	Pass
Isopropyl acetate		2,500	5000	ND	Pass
Methanol		1,500	3000	ND	Pass
Pentanes		2,500	5000	ND	Pass
2-Propanol (IPA)		2,500	5000	ND	Pass
Propane		2,500	5000	ND	Pass
Toluene		445.0	890	ND	Pass
Xylenes		1,085	2170	ND	Pass

MICROBIALS TEST RESULTS

Pass

Date Analyzed: 07/22/23 12:42; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director


